#### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

# Listing of Claims:

1. (currently amended) A carrier that can be loaded with an aqueous media comprises a plurality of particles, the particles being made of a porous hydrophobic polymer substrate, wherein the porous hydrophobic polymer substrate is hydrophilised over least part of its entire surface by coating with a surfactant, the entire surface comprising the outer surfaces and the surface of its pores, wherein the surfactant in the carrier has a concentration between 0.1 wt.% and 15 wt.% relative to the weight of the carrier, whereby wherein the particles have a mean particle size between 50 µm and 5000 µm and an at least partly open-pore structure with a mean pore diameter between 1 µm and 200 µm, and whereby wherein the particulate carrier has a loadability with water, determined by bringing it into contact with water, of 10 wt.% to 95 wt.% relative to the total weight of the loaded carrier.

## (cancelled)

(currently amended) The carrier according to Claim
 whereby wherein the porous polymer substrate is hydrophilised over essentially its entire surface, the entire

surface comprising the outer surfaces and the surface of its pores.

## 4. (cancelled)

- 5. (currently amended) The carrier according to Claim 1, 4, whereby wherein the surfactant is a non-ionic surfactant selected from the group consisting of fatty acid glycerides, polyglycol ethers, fatty acid glycol esters, fatty acid mono-, di- or triesters of sorbitan, and fatty acid amides.
- (currently amended) The carrier according to Claim
   whereby—wherein the non-ionic surfactant is a fatty acid
   glyceride.
- 7. (currently amended) The carrier according to Claim 5, whereby wherein the non-ionic surfactant has an HLB value higher than 7.
- (currently amended) The carrier according to Claim
   whereby wherein the non-ionic surfactant has an HLB value of 10 to 15.
- 9. (currently amended) The carrier according to Claim  $\underline{1}$ , 4, whereby wherein the surfactant is an anionic surfactant selected from the group of soaps, alkyl sulfates, alkane

sulfonates, alkyl aryl sulfonates or alkyl benzene sulfonates,  $\alpha$ -olefin sulfonates, fatty alcohol sulfonates, fatty alcohol ether sulfonates and dialkyl sulfosuccinates.

10. (currently amended) The carrier according to Claim  $\underline{1}$ ,  $\underline{4}$ , whereby wherein the surfactant is a cationic surfactant selected from the group of quaternary ammonium compounds.

#### (cancelled)

- 12. (currently amended) The carrier according to Claim

  1, whereby—wherein the polymer of which the polymer substrate
  is selected from the group consisting of a polyolefin, a
  fluoropolymer, a styrene polymer, or a copolymer of these
  polymers.
- 13. (currently amended) The carrier according to Claim 1, whereby wherein the carrier possesses essentially the same porous configuration as the porous polymer substrate.
- 14. (currently amended) The carrier according to Claim

  1, whereby wherein the carrier has a porosity in the range
  between 30 vol.% and 90 vol.%, and the loadability with water
  between 25 wt.% and 90 wt.% relative to the total weight of
  the loaded carrier.

- 15. (currently amended) The carrier according to Claim
  1, whereby—wherein the particles have a mean pore diameter in
  the range between 5 µm and 100 µm.
- 16. (currently amended) The carrier according to Claim 1, whereby wherein the carrier has a characteristic loading time for water of 120 minutes at most.
- 17. (currently amended) The carrier according to Claim
  1, whereby wherein the carrier has a characteristic loading
  time for water of 90 minutes at most.

Claims 18-33 (Withdrawn)